



[1] **EU-TYPE EXAMINATION CERTIFICATE - TRANSLATION**

[2] Equipment and protective systems intended for use
in potentially explosive atmospheres, directive 2014/34/EU

[3] EU-Type Examination Certificate Number **IBExU11ATEX1125 X** | Issue 1

[4] Equipment: **Rotary encoder**
Type A**70*-***** and A**88*-*****

[5] Manufacturer: TR-Electronic GmbH

[6] Address: Eglishalde 6
78647 Trossingen
GERMANY

[7] This product and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.

[8] IBExU Institut für Sicherheitstechnik GmbH, Notified Body number 0637 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the essential health and safety requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential test report IB-21-3-0093.

[9] Compliance with the essential health and safety requirements has been assured by compliance with:

EN IEC 60079-0:2018/AC:2020-02 EN 60079-1:2014/AC:2018-09 EN 60079-31:2014

Except in respect of those requirements listed at item [18] of the schedule.

[10] The sign "X" placed after the certificate number indicates that the product is subject to the specific conditions of use specified in the schedule to this certificate.

[11] This EU-type examination certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

[12] The marking of the product shall include the following:

II 2G Ex db IIC T6 Gb

II 2D Ex tb IIIC T80 °C Db

IBExU Institut für Sicherheitstechnik GmbH
Fuchsmühlenweg 7
09599 Freiberg, GERMANY

Phone: +49 (0)3731 3805-0
Fax: +49 (0)3731 3805-10

By order

Dipl.-Ing. (FH) Henker



(Notified Body number 0637)

Certificates without seal and signature are not valid. Certificates may only be duplicated completely and unchanged. In case of dispute, the German text shall prevail.

Freiberg, 2021-10-11

[13] **Schedule**

[14] **Certificate number IBExU11ATEX1125 X | Issue 1**

[15] **Description of product**

The Rotary encoder type A**70*-***** and A**88*-***** is used with built-in systems to record angle modifications for the stationary use in explosive gas and dust atmospheres in the equipment categories 2G and 2D. It consists of a flameproof enclosure from stainless steel or aluminium, into which the evaluation electronic is placed to record the position variation. The signal of the position respectively angle modification is transmitted by beared shaft (encoder).

Technical data:

- | | |
|--|---|
| - Nominal voltage: | 11 up to 27 V DC |
| - max. power input: | 2.3 W (A**70*-*****; variant stainless steel) |
| | 3 W (A**70*-*****; variant aluminium) |
| | 4 W (A**88*-*****; variant stainless steel) |
| | 6 W (A**88*-*****; variant aluminium) |
| - max. Speed: | 6000 min ⁻¹ |
| - Ambient temperature range: | -20 °C up to +60 °C |
| - IP-Degree of protection according to EN 60529: | IP66 |

Changes compared to issue 0 of this certificate and additions thereof:

- The encoder complies with the requirements of the current standard editions of EN 60079 and is marked with the equipment protection level.
- IP-Degree of protection is IP66.
- Qualification of a new label material.

[16] **Test report**

The test results are recorded in the confidential test report IB-21-3-0093 of 2021-10-08. The test documents are part of the test report and they are listed there.

Summary of the test results

The Rotary encoder type A**70*-***** and A**88*-***** fulfils the requirements of the explosion protection for equipment of group II, category 2G in the type of protection flameproof enclosure "db" as well as group II, category 2D in type of protection dust explosion protection by enclosure "tb".

[17] **Special conditions for use**

- Repairs of the flameproof joints must be made in compliance with the constructive specifications provided by the manufacturer. Repairs must not be made on the basis of values specified in table 3 and 4 of EN 60079-1.
- High charging processes have to be avoided at use in explosive dust atmospheres.

[18] **Essential Health and Safety Requirements**


In addition to the essential health and safety requirements (EHSRs) covered by the standards listed at item [9], the following are considered relevant to this product, and conformity is demonstrated in the test report:

- not applicable -

[19] **Drawings and documents**

The documents are listed in the test report.

IBExU Institut für Sicherheitstechnik GmbH
Fuchsmühlenweg 7
09599 Freiberg, GERMANY

By order

Dipl.-Ing. (FH) Henker

Freiberg, 2021-10-11